L Number	Hits	Search Text	DB	Time stamp
73	2	(b41f\$.ipc. or b41f\$.epc.) and (frame or housing or wall or support) near2	EPO; JPO;	2004/02/03 08:00
		(hole or aperture or cavity or recess) near2 (store or storage)	DERWENT	
74	0	(101/\$.ccls.) and (frame or housing or wall or support) near2 (hole or	USPAT;	2004/02/03 08:25
		aperture or cavity or recess) near2 (store or storage)	US-PGPUB	
75	1	09/902,550	USPAT;	2004/02/03 08:40
			US-PGPUB	
76	1	jp-03176150-\$.did.	EPO; JPO;	2004/02/03 08:40
			DERWENT	
77	146	sugiyama-hiroyuki\$.in.	USPAT;	2004/02/03 08:41
			US-PGPUB	1
78	7174	plate adj cylinder	USPAT;	2004/02/03 08:41
			US-PGPUB	
79	27	sugiyama-hiroyuki\$.in. and (plate adj cylinder)	USPAT;	2004/02/03 09:30
			US-PGPUB	
80	4	("4669380" "4727807" "4858528" "5218907").PN.	USPAT	2004/02/03 08:43
81	5	("3793950" "3858513" "4191105" "4417514" "4727807").PN.	USPAT	2004/02/03 08:46
82	23	5218907.URPN.	USPAT	2004/02/03 08:55
83	8	("5094165" "5127322" "5218907" "5289773" "5361699" "5390603"	USPAT	2004/02/03 09:11
		"5394614" "5406888").PN.		}
84	7	("2404412" "2659560" "3649069" "4883282" "5094165" "5127322"	USPAT	2004/02/03 09:12
		"5218907").PN.		
85	3	("4412490" "4623294" "4727807").PN.	USPAT	2004/02/03 09:13
86	8	5127322.URPN.	USPAT	2004/02/03 09:15
87	8	5127322.URPN.	USPAT	2004/02/03 09:17
88	10	5361699.URPN.	USPAT	2004/02/03 09:19
89	5	("4669380" "5361699" "5440988" "5479858" "5487336").PN.	USPAT	2004/02/03 09:25
90	7186	((b41f\$.ipc. or b41f\$.epc.) and (frame or housing or wall or support) near2	USPAT;	2004/02/03 09:30
		(hole or aperture or cavity or recess) near2 (store or storage)) ((101/\$.ccls.)	US-PGPUB	
		and (frame or housing or wall or support) near2 (hole or aperture or cavity or		
		recess) near2 (store or storage)) 09/902,550 jp-03176150-\$.did. (plate adj		
		cylinder) (sugiyama-hiroyuki\$.in. and (plate adj cylinder)) (("4669380"		
	•	"4727807" "4858528" "5218907").PN.) (("3793950" "3858513"		
		"4191105" "4417514" "4727807").PN.) 5218907.URPN. (("5094165"		
		"5127322" "5218907" "5289773" "5361699" "5390603" "5394614"		
		"5406888").PN.) (("2404412" "2659560" "3649069" "4883282"		
		"5094165" "5127322" "5218907").PN.) (("4412490" "4623294"		
		"4727807").PN.) 5127322.URPN. 5127322.URPN. 5361699.URPN.		
		(("4669380" "5361699" "5440988" "5479858" "5487336").PN.)		
91	354365	(center\$ or align\$ or positioning\$ or locat\$) near1 (device or means or	USPAT;	2004/02/03 09:37
	****	apparatus or portion or element or lock\$ or accessory)	US-PGPUB	
92	1009	(((b41f\$.ipc. or b41f\$.epc.) and (frame or housing or wall or support) near2	USPAT;	2004/02/03 09:32
		(hole or aperture or cavity or recess) near2 (store or storage)) ((101/\$.ccls.)	US-PGPUB	
		and (frame or housing or wall or support) near2 (hole or aperture or cavity or		
		recess) near2 (store or storage)) 09/902,550 jp-03176150-\$.did. (plate adj		
		cylinder) (sugiyama-hiroyuki\$.in. and (plate adj cylinder)) (("4669380"		
		"4727807" "4858528" "5218907").PN.) (("3793950" "3858513"		
Ī		"4191105" "4417514" "4727807").PN.) 5218907.URPN. (("5094165"	1	
		"5127322" "5218907" "5289773" "5361699" "5390603" "5394614"		
		"5406888").PN.) (("2404412" "2659560" "3649069" "4883282"		
		"5094165" "5127322" "5218907").PN.) (("4412490" "4623294"		
		"4727807").PN.) 5127322.URPN. 5127322.URPN. 5361699.URPN.		
ļ		(("4669380" "5361699" "5440988" "5479858" "5487336").PN.)) and		
		((center\$ or align\$ or positioning\$ or locat\$) near1 (device or means or		
		apparatus or portion or element or lock\$ or accessory))		

93	479	((((b41f\$.ipc. or b41f\$.epc.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)) ((101/\$.ccls.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or	USPAT; US-PGPUB	2004/02/03 09:32
		recess) near2 (store or storage)) 09/902,550 jp-03176150-\$.did. (plate adj cylinder) (sugiyama-hiroyuki\$.in. and (plate adj cylinder)) (("4669380"		
		"4727807" "4858528" "5218907").PN.) (("3793950" "3858513" "4191105" "4417514" "4727807").PN.) 5218907.URPN. (("5094165"		
		"5127322" "5218907" "5289773" "5361699" "5390603" "5394614" "5406888").PN.) (("2404412" "2659560" "3649069" "4883282"		
		"5094165" "5127322" "5218907").PN.) (("4412490" "4623294" "4727807").PN.) 5127322.URPN. 5127322.URPN. 5361699.URPN.		
		(("4669380" "5361699" "5440988" "5479858" "5487336").PN.)) and ((center\$ or align\$ or positioning\$ or locat\$) near1 (device or means or		
0.4	80316	apparatus or portion or element or lock\$ or accessory))) and 101/\$.ccls.		
94	80316	(centering or centered or aligning or aligner or positioning or positioner or locating or locator or locater) near1 (device or means or apparatus or portion	USPAT; US-PGPUB	2004/02/03 09:45
95	169	or element or lock\$ or accessory) (((((b41f\$.ipc. or b41f\$.epc.) and (frame or housing or wall or support) near2	USPAT;	2004/02/03 09:38
		(hole or aperture or cavity or recess) near2 (store or storage)) ((101/\$.ccls.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or	US-PGPUB	
,		recess) near2 (store or storage)) 09/902,550 jp-03176150-\$.did. (plate adj cylinder) (sugiyama-hiroyuki\$.in. and (plate adj cylinder)) (("4669380")		
		"4727807" "4858528" "5218907").PN.) (("3793950" "3858513" "4191105" "4417514" "4727807").PN.) 5218907.URPN. (("5094165"		
		"5127322" "5218907" "5289773" "5361699" "5390603" "5394614"		
		"5406888").PN.) (("2404412" "2659560" "3649069" "4883282" "5094165" "5127322" "5218907").PN.) (("4412490" "4623294"		
		"4727807").PN.) 5127322.URPN. 5127322.URPN. 5361699.URPN. (("4669380" "5361699" "5440988" "5479858" "5487336").PN.)) and		
		((center\$ or align\$ or positioning\$ or locat\$) near1 (device or means or apparatus or portion or element or lock\$ or accessory))) and 101/\$.ccls.) and		
		((centering or centered or aligning or aligner or positioning or positioner or locating or locator or locater) near1 (device or means or apparatus or portion		
96	93	or element or lock\$ or accessory))	Lian . m	
90	93	((((((b41f\$.ipc. or b41f\$.epc.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage))	USPAT; US-PGPUB	2004/02/03 10:12
		((101/\$.ccls.) and (frame or housing or wall or support) near2 (hole or aperture or cavity or recess) near2 (store or storage)) 09/902,550		
		jp-03176150-\$.did. (plate adj cylinder) (sugiyama-hiroyuki\$.in. and (plate adj cylinder)) (("4669380" "4727807" "4858528" "5218907").PN.)		
		(("3793950" "3858513" "4191105" "4417514" "4727807").PN.) 5218907.URPN. (("5094165" "5127322" "5218907" "5289773"		
		"5361699" "5390603" "5394614" "5406888").PN.) (("2404412" "2659560" "3649069" "4883282" "5094165" "5127322"		
		"5218907").PN.) (("4412490" "4623294" "4727807").PN.) 5127322.URPN. 5127322.URPN. 5361699.URPN. (("4669380" "5361699"		
		"5440988" "5479858" "5487336").PN.)) and ((center\$ or align\$ or		
		positioning\$ or locat\$) near1 (device or means or apparatus or portion or element or lock\$ or accessory))) and 101/\$.ccls.) and ((centering or centered		
		or aligning or aligner or positioning or positioner or locating or locator or locater) near1 (device or means or apparatus or portion or element or lock\$		
97	1	or accessory))) and (center\$) ("5406888").PN.	USPAT;	2004/02/03 10:48
98	2	09/283,821	US-PGPUB	
76			USPAT; US-PGPUB	2004/02/03 10:48
•	500778	b41\$.ipc. or b41\$.epc.	EPO; JPO; DERWENT	2004/01/29 12:00
-	23809	imaging near1 (apparatus or device or unit)	EPO; JPO; DERWENT	2004/01/29 12:00
-	1657	(producing or manufacturing or making or creating or forming) near1 (printing) near1 (plate or form or forme)	EPO; JPO; DERWENT	2004/01/29 12:01
-	10	(b41\$.ipc. or b41\$.epc.) and (imaging near1 (apparatus or device or unit)) and ((producing or manufacturing or making or creating or forming) near1	EPO; JPO; DERWENT	2004/01/29 12:24
		(printing) near1 (plate or form or forme))		

-	1	("6510795").PN.	USPAT;	2004/01/29 12:25
			US-PGPUB	
-	32	detmers-andreas\$.in.	EPO; JPO;	2004/01/29 12:26
			DERWENT	
-	20	detmers-andreas\$.in.	USPAT;	2004/01/29 12:38
			LIS-PGPLIR	

		•		
- !	1751	JP-10309797-\$.did. JP-3053666-\$.did.	EPO; JPO;	2004/01/29 12:39
		JP-09239958-\$.did.	DERWENT	
		JP-09234852-\$.did.		
		JP-09216344-\$.did.		
		JP-09131857-\$.did.		
		JP-09123410-\$.did.		
		JP-08336955-\$.did.		
		JP-3029779-\$.did.		
		JP-3029755-\$.did.		,
		JP-3029038-\$.did.		
		JP-3029037-\$.did.		
		JP-3028543-\$.did.		
		JP-08156232-\$.did.		
		JP-08058057-\$.did.		
		JP-08039784-\$.did.		
		JP-07314653-\$.did.		
		JP-07314650-\$.did.		
1		JP-07195677-\$.did.		
		JP-06297689-\$.did.		
		JP-3002218-\$.did.		
		JP-06143542-\$.did.		
		JP-06126937-\$.did.		
		JP-06023750-\$.did.		
		JP-06079854-\$.did.		
		JP-06079853-\$.did.		
		JP-06023310-\$.did.		
		JP-05345408-\$.did.		
		JP-05261895-\$.did.		
		JP-05254098-\$.did.		
		JP-05254085-\$.did.		
		JP-05200985-\$.did.		
		JP-05193122-\$.did.		
		JP-05193116-\$.did.		
		JP-93/005962-\$.did.3		
		JP-05057878-\$.did.		
		JP-05050586-\$.did.		
		JP-05050585-\$.did.		
		JP-04351554-\$.did.		
		JP-04347638-\$.did.		
		JP-04124638-\$.did.		
		JP-04200351-\$.did.		
		JP-04069133-\$.did.		
		JP-04013352-\$.did.		
		JP-04007153-\$.did.		
		JP-03130156-\$.did.		
		JP-02295745-\$.did.		
		*		
		JP-01083544-\$.did.		
		JP-01125232-\$.did.		
		JP-01075235-\$.did.		
		JP-01044123-\$.did.		
		JP-01036139-\$.did.		
		JP-01034235-\$.did.		
		JP-01053845-\$.did.		
		JP-01001940-\$.did.		
		JP-63312146-\$.did.		
		JP-63299936-\$.did.		
		JP-63299935-\$.did.		.
		JP-63299934-\$.did.		
		JP-63161831-\$.did.		
		JP-63022650-\$.did.		
		JP-63003436-\$.did.		
		JP-62134734-\$.did.		
		JP-60178138-\$.did.		
]		JP-60175637-\$.did.		
]		JP-60173328-\$.did.		
]		JP-60171340-\$.did.		
Search Histor	v 2/3/04 1	1:01-60171340-3:010. 1:01-66189453Paged		
1 5	\workenses-	1.01-0015945.515&Gtd.		
C. VII I STEAS	workspaces	JP-59098851-\$.did.		
1 1	l	JP-39098831-3.010.	1	
				•

	1			T 5-2
-	94	JP-10309797-\$.did. JP-3053666-\$.did.	ЕРО; ЈРО;	2004/01/29 12:42
	ł	JP-09239958-\$.did.	DERWENT	
		JP-09234852-\$.did.		
		JP-09216344-\$.did.		
		JP-09131857-\$.did.		
		JP-09123410-\$.did.		
		JP-08336955-\$.did.		
		JP-3029779-\$.did.		
		JP-3029755-\$.did.		
		JP-3029038-\$.did.		
		JP-3029037-\$.did.		
		JP-3028543-\$.did.		
		JP-08156232-\$.did.		
		JP-08058057-\$.did.		
		JP-08039784-\$.did.		
		JP-07314653-\$.did.		1
		JP-07314650-\$.did.		
		JP-07195677-\$.did.		
		JP-06297689-\$.did.]
		JP-3002218-\$.did.		
		JP-06143542-\$.did.		
		JP-06126937-\$.did.		
		JP-06023750-\$.did.		
		JP-06079854-\$.did.		
		JP-06079853-\$.did.		
		JP-06023310-\$.did.		
		JP-05345408-\$.did.		
		JP-05261895-\$.did.		
		JP-05254098-\$.did.		
		JP-05254085-\$.did.		
		JP-05200985-\$.did.		
		JP-05193122-\$.did.		
		JP-05193116-\$.did.		
		JP-05057878-\$.did.		
		JP-05050586-\$.did.		
		JP-05050585-\$.did.		
		JP-04351554-\$.did.		
		JP-04347638-\$.did.		
		JP-04124638-\$.did.		
		JP-04200351-\$.did.		
		JP-04069133-\$.did.		
		JP-04013352-\$.did.		
		JP-04007153-\$.did.		
		JP-03130156-\$.did.		
		JP-02295745-\$.did.		
		JP-01083544-\$.did.		
		JP-01125232-\$.did.		
		JP-01075235-\$.did.		
-		JP-01044123-\$.did.		
		JP-01036139-\$.did.		
		JP-01034235-\$.did.		
		JP-01053845-\$.did.		
		JP-01001940-\$.did.		
		JP-63312146-\$.did.		
		JP-63299936-\$.did.		
		JP-63299935-\$.did.		
		JP-63299934-\$.did.		
[JP-63161831-\$.did.		
	•	JP-63022650-\$.did.		
		JP-63003436-\$.did.		
		JP-62134734-\$.did.		
		JP-60178138-\$.did.		
]		JP-60175637-\$.did.		
		JP-60173328-\$.did.		
		JP-60171340-\$.did.		
Search Histor	ry 2/3/04 1	1:0A-86189453Pageto		
C:\APPS\eas	\workspaces	0 IP95225072.5 645.did.		
		JP-59098851-\$.did.		
, ,	ı	TD 20040037 # 111	ı	ı

-	21	b41\$.ipc. and (printing near1 (press or unit or machine or apparatus or	EPO; JPO;	2004/01/29 12:50
		device)) near2 accessory	DERWENT	
	1	("4254706").PN.	USPAT;	2004/01/29 12:59
			US-PGPUB	
-	8507	b41f\$.ipc. or b41f\$.epc.	USPAT;	2004/01/29 13:02
			US-PGPUB	
	91729	(slider or slide or sliding) near2 (guide or track or rod or bar) or (linear or	USPAT;	2004/01/29 13:02
		lineal) near1 (guide or track or slide or slider or sliding)	US-PGPUB	
	1163817	pivot or pivoting or pivotab\$ or pivotally or pivoted or rotate or rotated or	USPAT;	2004/01/29 13:02
		rotatably or rotatable	US-PGPUB	
	564	(b41f\$.ipc. or b41f\$.epc.) and ((slider or slide or sliding) near2 (guide or	USPAT;	2004/01/29 13:01
		track or rod or bar) or (linear or lineal) near l (guide or track or slide or slider	US-PGPUB	
		or sliding)) and (pivot or pivoting or pivotab\$ or pivotally or pivoted or		
		rotate or rotated or rotatably or rotatable)		
,	55270	b41f\$.ipc. or b41f\$.epc.	EPO; JPO;	2004/01/29 13:02
			DERWENT	
•	63187	(slider or slide or sliding) near2 (guide or track or rod or bar) or (linear or	EPO; JPO;	2004/01/29 13:02
		lineal) near1 (guide or track or slide or slider or sliding)	DERWENT	
•	1268367	pivot or pivoting or pivotab\$ or pivotally or pivoted or rotate or rotated or	EPO; JPO;	2004/01/29 13:02
		rotatably or rotatable	DERWENT	
•	104	(8,000)	EPO; JPO;	2004/02/03 07:58
		track or rod or bar) or (linear or lineal) near1 (guide or track or slide or slider	DERWENT	
		or sliding)) and (pivot or pivoting or pivotab\$ or pivotally or pivoted or		
		rotate or rotated or rotatably or rotatable)		
•	1	09/902,550	USPAT;	2004/01/29 13:09
			US-PGPUB	1